# TABLE OF CONTENTS

# INDEX

## WESTERN BIRDS

## VOLUME 4, 1973

# TABLE OF CONTENTS
# WESTERN BIRDS VOLUME 4

## Volume 4, Number 1, 1973


Editorial 1

Western Bird Photographers *Arnold Small* 2

Fifteen Years in a Blind *Herbert Clarke* 3

The Red-shouldered Hawk in the Western United States *Sanford R. Wilbur* 15

Notes on Pelecaniformes in Nevada *C. S. Lawson* 23

NOTE

First Record for the Swamp Sparrow in Washington State *Eugene Hunn* 31


## Volume 4, Number 2, 1973


The Eastern Kingbird in California *Tim Manolis* 33

Late Autumn Observations of Pelagic Birds Off Southern California *Joseph R. Jehl, Jr.* 45

Arizona Bird Records, 1972 *Steven Speich and Theodore A. Parker III* 53

BULLETIN BOARD 58

NOTES

Western Range Extensions of Scaled Quail, Montezuma Quail and Coppery-tailed Trogon in Arizona *David E. Brown* 59

Clark's Nutcracker Caught on Cholla Cactus *Robert R. Delareuelle* 61

BULLETIN BOARD 62

## Volume 4, Number 3, 1973

Numbers of Marine Birds Breeding in Northern California *David G. Ainley and Michael C. Whitt* 65

A Look at the Tree Sparrow in California *Guy McCaskie* 71

NOTES

Charadriiformes New to Nevada *C. S. Lawson* 77

Bird Arrival Dates on Malheur National Wildlife Refuge, Oregon *Carroll D. Littlefield and Eldon L. McLaury* 83

A Bar-tailed Godwit Record for Washington *Terence R. Wahl* 89

## Volume 4, Number 4, 1973

The Status of the Brown Pelican in the Monterey Region of California: Past and Present *Alan Baldridge* 93

The California Field Ornithologists Records Committee Report 1970-1972 *Jon Winter* 101

NOTES

A Mixed Pair of Sapsuckers in the Sierra Nevada *Wardene Weisser* 107

Trumpeter Swans Wintering in Southwestern Washington *R. L. "Rex" Van Wormer* 109

A Trumpeter Swan in Southern California *Brad Schram* 111

New Altitude Record for Mallard Nesting in California *Martin L. Morton and Galen A. Morton* 112

BULLETIN BOARD 113

INDEX 117

# INDEX TO WESTERN BIRDS, VOLUME 4

Compiled by Virginia P. Johnson


*aalge, Uria,* 66
*adamsii, Gavia,* 103
*Aechmophorus occidentalis,* 68
Ainley, David G. and Michael C. Whitt, Numbers of marine birds breeding in northern California, 65-70
*Ajaia ajaja,* 103
*alba, Motacilla,* 104
Albatross, Black-footed, 47
*albilora, Dendroica dominica,* 56, 104
*albonotatus, Buteo,* 103
*aleuticus, Ptychoramphus,* 49, 66
*alpina, Calidris,* 50
*americana, Mycteria,* 53
*Parula,* 104
*Spiza,* 105
*Anas platyrhynchos,* 112
Ani, Groove-billed, 54
*arborea, Spizella,* 71-76
*Ardea herodias,* 50
*argentatus, Larus,* 80
*atricilla, Larus,* 54
*auduboni, Dendroica (coronata),* 50
Auklet, Cassin's, 49, 66
Rhinoceros, 66
*auritus, Phalacrocorax,* 23, 68
*aurocapillus, Seiurus,* 56, 104
*Aythya fuligula,* 103
*valisineria,* 111
*bachmani, Haematopus,* 68
Baldridge, Alan, The status of the Brown Pelican in the Monterey region of California: past and present, 93-100
*baueri, Limosa lapponica,* 90
*bewickii, Thryomanes,* 31
Blackbird, Brewer's, 50
Rusty, 104
Bobolink, 37
Booby, Blue-footed, 23-30, 106
Brown, 23-30
Brant, Black, 53
*Branta nigricans,* 53
*brewsteri, Sula leucogaster,* 26
Brown, David E., Western range extensions of Scaled Quail, Montezuma Quail and Coppery-tailed Trogon in Arizona, 59-60
*buccinator, Olor,* 109-110, 111
*bulleri, Puffinus,* 48
Bunting, Indigo, 105
Painted, 56, 106
*Buteo albonotatus,* 103
*lineatus elegans,* 15-22
*platypterus,* 54, 106
*caerulea, Florida,* 103
*caerulescens, Dendroica,* 56, 106
*Calcarius mccownii,* 106
*ornatus,* 106
*Calidris alpina,* 50
*ruficollis,* 106
*californicus, Larus,* 49, 68
*Pelecanus occidentalis,* 93-100
*Callipepla squamata,* 59-60
*Calothorax lucifer,* 54
*canadensis, Wilsonia,* 104
*canus, Larus,* 80
Canvasback, 111
*Caprimulgus vociferus,* 103
Cardinal, 35
*Cardinalis cardinalis,* 35
*carneipes, Puffinus,* 48
*carolinus, Euphagus,* 104
*castanea, Dendroica,* 56, 104
*Catharacta maccormicki,* 49, 51
*skua chilensis* 49, 51
*Cepphus columba,* 68
*Cerorhinca monocerata,* 66
*Chaetura pelagica,* 103, 106
*chilensis, Catharacta skua,* 49, 51
*chrysoptera, Vermivora,* 55, 104
*ciris, Passerina,* 56, 106
*cirrhata, Lunda,* 68
*citrina, Wilsonia,* 104
Clarke, Herbert, Fifteen years in a blind, 3-14
*Coccyzus erythropthalmus,* 54
*columba, Cepphus,* 68
*columbiana, Nucifraga,* 61
*columbianus, Olor,* 109,111
*cookii, Pterodroma,* 102
Cormorant, Brandt's, 68
Double-crested, 23, 68
Olivaceous, 102, 103
Pelagic, 68

*craveri, Endomychura,* 49
*creatopus, Puffinus,*48
*crinitus, Myiarchus,* 106
*Crotophaga sulcirostris,* 54
Cuckoo, Black-billed, 54
Curlew, Hudsonian, 50
*cyanea, Passerina,* 105
*cyanocephalus, Euphagus,* 50
*Cyrtonyx montezumae,* 59-60
Delareuelle, Robert R., Clark's Nutcracker caught on cholla cactus, 61
*delawarensis, Larus,* 80
*Dendroica caerulescens,* 56, 106
  *castanea,* 56, 104
  *(coronata) auduboni,* 50
  *discolor,* 104
  *dominica,* 56, 104
  *d. albilora,* 56, 104
  *fusca,* 104
  *magnolia,* 104
  *striata,* 56
  *tigrina,* 104
  *virens,* 104
*Dichromanassa rufescens,* 103
Dickcissel, 105
*Diomedea nigripes,* 47
*discolor, Dendroica,* 104
*Dolichonyx oryzivorus,* 37
*dominica, Dendroica,* 56, 104
Dove, Mourning, 50
Duck, Tufted, 103
Dunlin, 50
Egret, Reddish, 103
*elegans, Buteo lineatus,* 15-22
  *Trogon,* 59-60
*Endomychura craveri,* 49
  *hypoleuca,* 49
*erythropthalmus, Coccyzus,* 54
*erythrorhynchos, Pelecanus, 23-24*
*Euphagus carolinus,* 104
  *cyanocephalus,* 50
*fedoa, Limosa,* 89-90
*flava, Piranga,* 105
*flavoviridis, Vireo,* 106
*Florida caerulea,* 103
Flycatcher, Great-crested, 106
  Scissor-tailed, 55, 103
*forficata, Muscivora,* 55, 103
*forsteri, Sterna,* 82
*Fregata magnificens,* 23-30, 103
Frigatebird, Magnificent, 23-30, 103
*fulicarius, Phalaropus,* 48, 77
*fuligula, Aythya,* 103
Fulmar, Northern, 47
*Fulmarus glacialis,* 47
*furcata, Oceanodroma,* 68
*fusca, Dendroica,* 104
*Gavia adamsii,* 103
*georgiana, Melospiza,* 31-32
*glacialis, Fulmarus,* 47
*glaucescens, Larus* 80
Godwit, Bar-tailed, 89-90, 102
  Hudsonian, 90
  Marbled, 89-90
Grebe, Eared, 50
  Western, 68
*griseus, Puffinus,* 48
Grosbeak, Rose-breasted, 105
Guillemot, Pigeon, 68
Gull, California, 49, 68
  Glaucous, 77
  Glaucous-winged, 80
  Heermann's, 49, 54
  Herring, 80
  Laughing, 54
  Mew, 80
  Ring-billed, 80
  Sabine's, 49
  Thayer's, 80
  Western, 49, 68
*haemastica, Limosa,* 90
*Haematopus bachmani,* 68
*Halocyptena microsoma,* 48
Hawk, Broad-winged, 54, 106
  Red-shouldered, 15-22
  Zone-tailed, 103
*heermanni, Larus,* 49, 54
*Helmitheros vermivorus,* 55
*herodias, Ardea,* 50
Heron, Great Blue, 50
  Little Blue, 103
*Hirundo rustica,* 50
*hirundo, Sterna,* 82
*homochroa, Oceanodroma,* 48, 66
Hummingbird, Lucifer, 54
Hunn, Eugene, First record for the Swamp Sparrow in Washington State, 31-32
*Hylocichla mustelina,* 55
*hyperboreus, Larus,* 77
*hypoleuca, Endomychura,* 49
*Icterus spurius,* 104, 106
*Ictinia misisippiensis,* 106
*Ixoreus naevius,* 55
Jaeger, Long-tailed, 48, 103
  Pomarine, 48
Jehl, Joseph R., Jr., Late autumn observations of pelagic birds off southern California, 45-52

*Junco oreganus*, 71
Junco, Oregon, 71
Kingbird, Eastern, 33-44, 55
Tropical, 38
Western, 33
Kite, Mississippi, 106
*lapponica, Limosa*, 89-90, 102
*L. lapponica*, 90
*Larus argentatus*, 80
*atricilla*, 54
*californicus*, 49, 68
*canus*, 80
*delawarensis*, 80
*glaucescens*, 80
*beermanni*, 49, 54
*byperboreus*, 77
*occidentalis*, 49, 68
*thayeri*, 80
Lawson, C. S., Charadriiformes new to Nevada, 77-82; Notes on Pelecaniformes in Nevada, 23-30
*leucogaster, Sula*, 23-30
*leucorboa, Oceanodroma*, 48, 66
*Limosa fedoa*, 89-90
*baemastica*, 90
*lapponica*, 89-90, 102
*l. baueri*, 90
*l. lapponica*, 90
*l. menzbieri*, 90
*lincolnii, Melospiza*, 31
*lineatus elegans, Buteo*, 15-22
Littlefield, Carroll D. and Eldon L. McLaury, Bird arrival dates on Malheur National Wildlife Refuge, Oregon, 83-88
*lobatus, Lobipes*, 77
*lomvia, Uria*, 103
*longicaudus, Stercorarius*, 48, 103
Longspur, Chestnut-collared, 106
McCown's, 106
Loon, Yellow-billed, 103
*lucifer, Calotborax*, 54
*ludovicianus, Pbeucticus*, 105
*Lunda cirrbata*, 68
*maccormicki, Catbaracta*, 49, 51
*macroura, Zenaida*, 50
*magnificens, Fregata*, 23-30, 103
*magnolia, Dendroica*, 104
Mallard, 112
Manolis, Tim, The Eastern Kingbird in California, 33-44
McCaskie, Guy, A look at the Tree Sparrow in California, 71-76
*mccownii, Calcarius*, 106
McLaury, Eldon L., see Littlefield, Carroll D. and—
Meadowlark, Western, 50
*melancholicus, Tyrannus*, 38
*melodia, Melospiza*, 31
*Melospiza georgiana*, 31-32
*lincolnii*, 31
*melodia*, 31
*menzbieri, Limosa lapponica*, 90
*microsoma, Halocyptena*, 48
*misisippiensis, Ictinia*, 106
*Mniotilta varia*, 50
*monocerata, Cerorbinca*, 66
*montezumae, Cyrtonyx*, 59-60
Morton, Martin L. and Galen A. Morton, New altitude record for Mallard nesting in California, 112
*Motacilla alba*, 104
*motacilla, Seiurus*, 56
Murre, Common, 66
Thick-billed, 103
Murrelet, Craveri's, 49
Xantus', 49
*Muscivora forficata*, 55, 103
*mustelina, Hylocichla*, 55
*Mycteria americana*, 53
*Myiarchus crinitus*, 106
*naevius, Ixoreus*, 55
*nebouxii, Sula*, 23-30, 106
*neglecta, Sturnella*, 50
*nigra, Rynchops*, 103
*nigricans, Branta*, 53
*nigricollis, Podiceps*, 50
*nigripes, Diomedea*, 47
*noveboracensis, Seiurus*, 38
*nuchalis, Sphyrapicus*, 107-108
*Nucifraga columbiana*, 61
*Numenius phaeopus*, 50
Nutcracker, Clark's, 61
*occidentalis, Aechmophorus*, 68
*Larus*, 49, 68
*Pelecanus*, 23-30, 93-100
*Oceanodroma furcata*, 68
*homochroa*, 48, 66
*leucorboa*, 48, 66
*olivacea, Piranga*, 56, 104
*olivaceous, Phalacrocorax*, 102, 103
*Olor buccinator*, 109-110, 111
*columbianus*, 109, 111
*oreganus, Junco*, 71
Oriole, Orchard, 104, 106
*ornatus, Calcarius*, 106
*oryzivorus, Dolichonyx*, 37
Ovenbird, 56, 104
Oystercatcher, Black, 68
*pallida, Spizella*, 102, 106
*paradisaea, Sterna*, 49

Parker, Theodore A., III, see Speich, Steven and –
*Parula americana*, 104
*Passerina ciris*, 56, 106
*cyanea*, 105
*pelagica, Chaetura*, 103, 106
*pelagicus, Phalacrocorax*, 68
*Pelecanus erythrorhynchos*, 23-24
*occidentalis*, 23-30
*o. californicus*, 93-100
Pelican, Brown, 23-30, 93-100
White, 23-24
*penicillatus, Phalacrocorax*, 68
Petrel, Ashy, 48, 66
Cook's, 102
Fork-tailed, 68
Leach's, 48, 66
Least, 48
*phaeopus, Numenius*, 50
*Phalacrocorax auritus*, 23, 68
*olivaceous*, 102, 103
*pelagicus*, 68
*penicillatus*, 68
Phalarope, Northern, 77
Red, 48, 77
Wilson's, 77
*Phalaropus fulicarius*, 48, 77
*Pheucticus ludovicianus*, 105
*Piranga flava*, 105
*olivacea*, 56, 104
Phoebe, Eastern, 106
*phoebe, Sayornis*, 106
*platypterus, Buteo* 54, 106
*platyrhynchos, Anas*, 112
*Podiceps nigricollis*, 50
*pomarinus, Stercorarius*, 48
*Pterodroma cookii*, 102
*Ptychoramphus aleuticus*, 49, 66
Puffin, Tufted, 68
*Puffinus bulleri*, 48
*carneipes*, 48
*creatopus*, 48
*griseus*, 48
*puffinus*, 48
*pusilla, Spizella*, 102
Pyrrhuloxia, 102, 105
*Pyrrhuloxia sinuata*, 102, 105
Quail, Montezuma (Mearns), 59-60
Scaled, 59-60
*ruber, Sphyrapicus*, 107-108
*rubra, Piranga*, 104
*rufescens, Dichromanassa*, 103
*ruficapilla, Vermivora*, 50
*ruficollis, Calidris*, 106
*rufum, Toxostoma*, 104
*rustica, Hirundo*, 50
*Rynchops nigra*, 103
*sabini, Xema*, 49
Sandpiper, Rufous-necked, 106
Sapsucker, Red-breasted, 107-108
Red-naped, 107-108
Yellow-bellied, 107
*Sayornis phoebe*, 106
Schram, Brad, A Trumpeter Swan in southern California, 111
*Seiurus aurocapillus*, 56, 104
*motacilla*, 56
*noveboracensis*, 38
Shearwater, Flesh-footed, 48
Manx, 48
New Zealand, 48
Pink-footed, 48
Sooty, 48
*sinuata, Pyrrhuloxia*, 102, 105
Skimmer, Black, 103
Skua, Chilean, 49, 51
South Polar, 49-51
*skua, Catharacta*, 49, 51
Small, Arnold, Western bird photographers, 2
Sparrow, Clay-colored, 102, 106
Field, 102
Lincoln's, 31
Song, 31
Swamp, 31-32
Tree, 71-76
Speich, Steven and Theodore A. Parker, III, Arizona bird records, 1972, 53-57
*Sphyrapicus nuchalis*, 107-108
*ruber*, 107-108
*varius*, 107
*Spiza americana*, 105
*Spizella arborea*, 71-76
*pallida*, 102, 106
*pusilla*, 102
Spoonbill, Roseate, 103
*spurius, Icterus*, 104, 106
*squamata, Callipepla*, 59-60
Starling, 50
*Steganopus tricolor*, 77
*Stercorarius longicaudus*, 48, 103
*pomarinus*, 48
*Sterna forsteri*, 82
*birundo*, 82
*paradisaea*, 49
Stork, Wood, 53
Storm Petrel, Ashy, 48, 66

Fork-tailed, 68
Leach's, 48,66
Least, 48
*striata, Dendroica*, 56
*Sturnella neglecta*, 50
*Sturnus vulgaris*, 50
*Sula leucogaster*, 23-30
*l. brewsteri*, 26
*nebouxii*, 23-30, 106
*sulcirostris, Crotophaga*, 54
Swallow, Barn, 50
Swan, Trumpeter, 109-110, 111
Whistling, 109, 111
Swift, Chimney, 103, 106
Tanager, Hepatic, 105
Scarlet, 56, 104
Tern, Arctic, 49
Common, 82
Forster's, 82
*thayeri, Larus*, 80
Thrasher, Brown, 104
Thrush, Varied, 55
Wood, 55
*Thryomanes bewickii*, 31
*tigrina, Dendroica*, 104
*Toxostoma rufum*, 104
*tricolor, Steganopus*, 77
Trogon, Coppery-tailed, 59-60
*Trogon elegans*, 59-60
*Tyrannus melancholicus*, 38
*tyrannus*, 33-44, 55
*verticalis*, 33
*Uria aalge*, 66
*lomvia*, 103
*valisineria, Aythya*, 111
Van Wormer, R. L. "Rex", Trumpeter Swans wintering in southwestern Washington, 109-110
*varia, Mniotilta*, 50
*varius, Sphyrapicus*, 107
*Vermivora chrysoptera*, 55, 104
*ruficapilla*, 50
*vermivorus, Helmitheros*, 55
*verticalis, Tyrannus*, 33
*virens, Dendroica*, 104
*Vireo flavoviridis*, 106
Vireo, Yellow-green, 106
*vociferus, Caprimulgus*, 103
*vulgaris, Sturnus*, 50
Wagtail, White, 104
Wahl, Terence R., A Bar-tailed Godwit record for Washington, 89-90
Warbler, Bay-breasted, 56, 104
Black and White, 50
Blackburnian, 104
Blackpoll, 56
Black-throated Blue, 56, 106
Black-throated Green, 104
Canada, 104
Cape May, 104
Golden-winged, 55, 104
Hooded, 104
Magnolia, 104
Nashville, 50
Northern Parula, 104
Prairie, 104
Worm-eating, 55
Yellow-rumped (Audubon's), 50
Yellow-throated, 56, 104
Waterthrush, Louisiana, 56
Northern, 38
Weisser, Wardene, A mixed pair of sapsuckers in the Sierra Nevada, 107-108
Whip-poor-will, 103
Whitt, Michael C., see Ainley, David G. and –
Wilbur, Sanford R., The Red-shouldered Hawk in the western United States, 15-22
*Wilsonia canadensis*, 104
*citrina*, 104
Winter, Jon, The California Field Ornithologists Records Committee report 1970-1972, 101-106
Wren, Bewick's, 31
*Xema sabini*, 49
*Zenaida macroura*, 50